L Number	Hits	Search Text	DB	Time stamp
- naumer	2005	379/\$.ccls. and (ain (intelligent adj3	USPAT;	2004/01/16 11:10
	2003	network))	US-PGPUB	,,
_	1005	(379/\$.ccls. and (ain (intelligent adj3	USPAT;	2004/01/16 10:58
		network))) and (trigger)	US-PGPUB	
-	259	l	USPAT;	2004/01/16 11:04
	1	network))) and (((match\$5 compar\$6	US-PGPUB	
	!	correspond\$5 associat\$5) and (predetermin\$5		
	1	set)) with (trigger))		
-	89	((379/\$.ccls. and (ain (intelligent adj3	USPAT;	2004/01/16 11:06
	1	network))) and (((match\$5 compar\$6	US-PGPUB	
	1	correspond\$5 associat\$5) and (predetermin\$5		
	1	set)) with (trigger))) and ((request\$3 ask\$3		
	1	select\$6) with ((one first) near3 (service		
	ا ہے ا	option feature)))	HODAG	2004/01/16 12 22
-	8	(((379/\$.ccls. and (ain (intelligent adj3	USPAT;	2004/01/16 12:09
	!	network))) and (((match\$5 compar\$6	US-PGPUB	
	:	correspond\$5 associat\$5) and (predetermin\$5		
		set)) with (trigger))) and ((request\$3 ask\$3		
		select\$6) with ((one first) near3 (service option feature)))) and ((request\$3 ask\$3		
		select\$6) with (kind type sort mode class		
		particular) with ((one first) near3 (service		
	'	option feature)))		
_	2	((((379/\$.ccls. and (ain (intelligent adj3	USPAT;	2004/01/16 11:09
		network))) and (((match\$5 compar\$6	US-PGPUB	
	'	correspond\$5 associat\$5) and (predetermin\$5		
	'	set)) with (trigger))) and ((request\$3 ask\$3		
	'	select\$6) with ((one first) near3 (service	1	
	'	option feature)))) and ((request\$3 ask\$3		
	'	select\$6) with (kind type sort mode class		
	'	particular) with ((one first) near3 (service		
	'	option feature)))) and (acd (call adj3		
	' <u> </u>	center) 379/265.01-266.1)		0004/07/75 77
-	1	379/265.01-266.1 and (acd (call adj3 center)	USPAT;	2004/01/16 11:14
	' i	(call adj3 distributor)) and (trigger ain	US-PGPUB	
	1010	(intelligent adj3 network))	IICDATE:	3004 (01 /36 33:04
-	1949		USPAT; US-PGPUB	2004/01/16 12:04
	'	<pre>distributor)) and (trigger ain (intelligent adj3 network))</pre>	US-PGPUB	
_	11	adj3 network)) ((acd (call adj3 center) (call adj3	USPAT;	2004/01/16 11:23
-	' ±±	((acd (call adj3 center) (call adj3 distributor)) and (trigger ain (intelligent	US-PGPUB	2004/01/10 11:23
]	'	adj3 network))) and (residential) and		
	' I	(business) and adsl and isdn		
-	11	(((acd (call adj3 center) (call adj3	USPAT;	2004/01/16 11:23
		distributor)) and (trigger ain (intelligent	US-PGPUB	
		adj3 network))) and (residential) and		
		(business) and adsl and isdn) and (request\$4		
		choice choos\$3 select\$5)	1	
-	6	(((acd (call adj3 center) (call adj3	USPAT;	2004/01/16 11:25
		distributor)) and (trigger ain (intelligent	US-PGPUB	
		adj3 network))) and (residential) and	1	
1		(business) and adsl and isdn) and ((caller		
		customer (calling adj3 party) subscriber)		
1		<pre>with (request\$4 choice choos\$3 select\$5))</pre>		
-	0	(((acd (call adj3 center) (call adj3	USPAT;	2004/01/16 11:25
		distributor)) and (trigger ain (intelligent	US-PGPUB	
	1	adj3 network))) and (residential) and		
	l	(business) and adsl and isdn) and ((caller		
	Ì	customer (calling adj3 party) subscriber)	1	
		with (request\$4 choice choos\$3 select\$5)		
		with (residential and business and adsl and		
	ا ۾	isdn))	HODAM	2004/03/36 33 05
-	0	((acd (call adj3 center) (call adj3	USPAT;	2004/01/16 11:25
	1	distributor)) and (trigger ain (intelligent	US-PGPUB	
	İ	adj3 network))) and ((caller customer]	
		<pre>(calling adj3 party) subscriber) with (request\$4 choice choos\$3 select\$5) with</pre>		
		(residential and business and adsl and		
		isdn))		
L		LUMIN I	L	<u></u>

[-	0	((acd (call adj3 center) (call adj3	USPAT;	2004/01/16 11:26
		distributor)) and (trigger ain (intelligent	US-PGPUB	
		adj3 network))) and ((caller customer		
		(calling adj3 party) subscriber) with		
		(request\$4 choice choos\$3 select\$5) with		
		((residen\$5 home personal) and business and		
		adsl and isdn))		
_	34	((acd (call adj3 center) (call adj3	USPAT;	2004/01/16 11:37
		distributor)) and (trigger ain (intelligent	US-PGPUB	
		adj3 network))) and ((caller customer		
l l		(calling adj3 party) subscriber) with		
İ		(request\$4 choice choos\$3 select\$5) with		
		((residen\$5 home personal) and business))		
_	24	((acd (call adj3 center) (call adj3	USPAT;	2004/01/16 11:46
-	27	distributor)) and (trigger ain (intelligent	US-PGPUB	2001, 02, 20
İ		adj3 network))) and ((request\$4 choice	00 10102	
		choos\$3 select\$5) with ((residen\$5 home		
		personal) and business) with (feature		
		service option))		
	,		HCDAT.	2004/01/16 11:42
-	1		USPAT; US-PGPUB	2004/01/16 11:42
	_	(intelligent adj3 network))		2004/01/16 11-42
-	2	379/265.01-266.1	USPAT;	2004/01/16 11:42
		270 / 270 270 270 270 270 270 270 270 270 270	US-PGPUB	2004/02/25 12 04
_	240		USPAT;	2004/01/16 12:04
		(intelligent adj3 network))	US-PGPUB	
-	3	(379/265.01-266.1.ccls. and (trigger ain	USPAT;	2004/01/16 12:04
		(intelligent adj3 network))) and ((request\$4	US-PGPUB	
		choice choos\$3 select\$5) with ((residen\$5		
		home personal) and business) with (feature		
		service option))		1
-	2		USPAT;	2004/01/16 11:44
	•	distributor)) and (trigger ain (intelligent	US-PGPUB	
		adj3 network))) and ((request\$4 choice	1	
		choos\$3 select\$5) with ((residen\$5 home		
	1	personal) and business) with (feature		
		service option))) and (((acd (call adj3		
		center) (call adj3 distributor)) and		
	İ	(trigger ain (intelligent adj3 network)))		
		and adsl and isdn)		
-	82	((acd (call adj3 center) (call adj3	USPAT;	2004/01/16 11:46
		distributor)) with screen\$5) and (trigger	US-PGPUB	
		ain (intelligent adj3 network))		1
-	4	(((acd (call adj3 center) (call adj3	USPAT;	2004/01/16 11:46
		distributor)) with screen\$5) and (trigger	US-PGPUB	
		ain (intelligent adj3 network))) and		
		((request\$4 choice choos\$3 select\$5) with		
		((residen\$5 home personal) and business)		
	İ	with (feature service option))		
-	1067	379/265.01-266.1.ccls.	USPAT;	2004/01/16 12:04
			US-PGPUB	
-	8306	(acd (call adj3 center) (call adj3	USPAT;	2004/01/16 12:08
		distributor))	US-PGPUB	
-	50	((acd (call adj3 center) (call adj3	USPAT;	2004/01/16 12:05
		distributor))) and ((request\$4 choice	US-PGPUB	
		choos\$3 select\$5) with (((residen\$5 home		
ļ		personal) and business) with (feature		
		service option)))	1	
_	800	(plural\$5 multipl\$4 (first and second))	USPAT;	2004/01/16 13:19
		near4 (acd (call adj3 center) (call adj3	US-PGPUB	,,
		distributor))		
_	o	((plural\$5 multipl\$4 (first and second))	USPAT;	2004/01/16 12:11
		near4 (acd (call adj3 center) (call adj3	US-PGPUB	-551,51,15 12.11
		distributor))) and ((request\$3 ask\$3	33 . 31 32	
		select\$6) with (kind type sort mode class		
		particular) with (((one first) and (next	1	
		second other)) near3 (service option	1	
		feature)))		
	L		1	<u> </u>

-	21	((plural\$5 multipl\$4 (first and second))	USPAT;	2004/01/16 13:20
		near4 (acd (call adj3 center) (call adj3	US-PGPUB	
		distributor))) and ((request\$3 ask\$3		
		select\$6) with (kind type sort mode class		
		particular) with ((one first) near3 (service		
		option feature)))		1
-	0	((plural\$5 multipl\$4 (first and second))	USPAT;	2004/01/16 12:35
		near4 (acd (call adj3 center) (call adj3	US-PGPUB	
		distributor))) and ((asdl and isdn) near5		1
		servic\$4)	******	2004/01/16 12 25
-	1		USPAT;	2004/01/16 12:35
		near4 (acd (call adj3 center) (call adj3	US-PGPUB	
		distributor))) and (asdl and isdn)	USPAT;	2004/01/16 12:36
-	3 /	((acd (call adj3 center) (call adj3 distributor)) and (trigger ain (intelligent	US-PGPUB	2004/01/10 12:30
		adj3 network))) and adsl and isdn	05-FGF0B	
	21	l =	USPAT;	2004/01/16 12:43
ļ ⁻		near4 (acd (call adj3 center) (call adj3	US-PGPUB	2001, 02, 20 12110
		distributor))) and ((request\$3 ask\$3 choice	55 5 5 5 5	
		choos\$5 select\$6) with (kind type sort mode		1
		class particular) with ((one first) near3		
		(service option feature)))		,
_	l 0	l	USPAT;	2004/01/16 12:44
		near4 (acd (call adj3 center) (call adj3	US-PGPUB	
		distributor))) and ((request\$3 ask\$3 choice		
		choos\$5 select\$6) with (kind type sort mode		
		class particular) with ((one first) near3		1
		(service option feature)))) not (((plural\$5		
		multipl\$4 (first and second)) near4 (acd		
		(call adj3 center) (call adj3 distributor)))	į	
		and ((request\$3 ask\$3 select\$6) with (kind	ł	
		type sort mode class particular) with ((one		
	4040	first) near3 (service option feature))))	HODAM	2004/01/16 12:10
-	1349	1 '-	USPAT; US-PGPUB	2004/01/16 13:19
		near4 (acd (call adj3 center) (call adj3 distributor) (service adj3 center))	05-76706	
_	42	1	USPAT;	2004/01/16 13:21
-	42	near4 (acd (call adj3 center) (call adj3	US-PGPUB	2004,01,10 13:21
		distributor) (service adj3 center))) and	55 15155	
		((request\$3 ask\$3 select\$6) with (kind type		
		sort mode class particular) with ((one		
		first) near3 (service option feature)))		
-	43	((plural\$5 multipl\$4 (first and second))	USPAT;	2004/01/16 13:22
		near4 (acd (call adj3 center) (call adj3	US-PGPUB	
		distributor) (service adj3 center))) and		
		((request\$3 ask\$3 select\$6 choos\$4 choice		
		pick\$5) with (kind type sort mode class		
		particular) with ((one first) near3 (service		
		option feature)))		0004/01/15 10 55
-	4	' ' ' ' '	USPAT;	2004/01/16 13:22
		near4 (acd (call adj3 center) (call adj3	US-PGPUB	
[distributor) (service adj3 center))) and		
		((request\$3 ask\$3 select\$6 choos\$4 choice		
		pick\$5) with (kind type sort mode class particular) with ((one first) near3 (service		
[option feature)))) and ((request\$3 ask\$3		
		select\$6) with (kind type sort mode class		
		particular) with (other second another		
		next) near3 (service option feature)))) not		
		(((plural\$5 multipl\$4 (first and second))		
		near4 (acd (call adj3 center) (call adj3		
		distributor))) and ((request\$3 ask\$3 choice		
		choos\$5 select\$6) with (kind type sort mode		
		class particular) with ((one first) near3		
		(service option feature))))		

-	4	(((plural\$5 multipl\$4 (first and second)) near4 (acd (call adj3 center) (call adj3	USPAT; US-PGPUB	2004/01/16 13:23
		distributor) (service adj3 center))) and ((request\$3 ask\$3 select\$6 choos\$4 choice pick\$5) with (kind type sort mode class		
		particular) with ((one first) near3 (service option feature)))) and ((request\$3 ask\$3		
		select\$6) with (kind type sort mode class particular) with ((other second another		
-	4	next) near3 (service option feature))) (((plural\$5 multipl\$4 (first and second))	USPAT;	2004/01/16 13:23
		near4 (acd (call adj3 center) (call adj3 distributor) (service adj3 center))) and ((request\$3 ask\$3 select\$6) with (kind type	US-PGPUB	
		sort mode class particular) with ((one first) near3 (service option feature)))) and		
		((request\$3 ask\$3 select\$6) with (kind type sort mode class particular) with ((other		
	4	<pre>second another next) near3 (service option feature))) ((((plural\$5 multipl\$4 (first and second))</pre>	USPAT;	2004/01/16 13:23
	*	near4 (acd (call adj3 center) (call adj3 distributor) (service adj3 center))) and	US-PGPUB	2004/01/10 13.23
		((request\$3 ask\$3 select\$6 choos\$4 choice pick\$5) with (kind type sort mode class		
		particular) with ((one first) near3 (service option feature)))) and ((request\$3 ask\$3 select\$6) with (kind type sort mode class		
		particular) with ((other second another next) near3 (service option feature))))		
		(((((plural\$5 multipl\$4 (first and second)) near4 (acd (call adj3 center) (call adj3		
		distributor) (service adj3 center))) and ((request\$3 ask\$3 select\$6 choos\$4 choice pick\$5) with (kind type sort mode class		
		<pre>particular) with ((one first) near3 (service option feature)))) and ((request\$3 ask\$3</pre>		
		select\$6) with (kind type sort mode class particular) with ((other second another		
	·	next) near3 (service option feature)))) not (((plural\$5 multipl\$4 (first and second)) near4 (acd (call adj3 center) (call adj3		
		<pre>distributor))) and ((request\$3 ask\$3 choice choos\$5 select\$6) with (kind type sort mode</pre>		
	6	<pre>class particular) with ((one first) near3 (service option feature))))) 379/\$.ccls. and riskin.in.</pre>	USPAT;	2004/01/16 13:58
_		(((((379/\$.ccls. and (ain (intelligent adj3	US-PGPUB USPAT;	2004/01/16 13:58
	-	network))) and (((match\$5 compar\$6 correspond\$5 associat\$5) and (predetermin\$5	US-PGPUB	
		<pre>set)) with (trigger))) and ((request\$3 ask\$3 select\$6) with ((one first) near3 (service option feature)))) and ((request\$3 ask\$3</pre>		
		select\$6) with (kind type sort mode class particular) with ((one first) near3 (service		
_	_	option feature)))) and (acd (call adj3 center) 379/265.01-266.1)) and acd	IICDATE -	2004/01/16 12:50
-		(379/\$.ccls. and riskin.in.) and acd (((((379/\$.ccls. and (ain (intelligent adj3	USPAT; US-PGPUB USPAT;	2004/01/16 13:58
	_	network))) and (((match\$5 compar\$6 correspond\$5 associat\$5) and (predetermin\$5	US-PGPUB	
		<pre>set)) with (trigger))) and ((request\$3 ask\$3 select\$6) with ((one first) near3 (service option feature)))) and ((request\$3 ask\$3</pre>		
·		select\$6) with (kind type sort mode class particular) with ((one first) near3 (service		
		option feature)))) and (acd (call adj3 center) 379/265.01-266.1)) and (call adj3		
		center)		

